

# maxell

## Headphones



# Stereo

## EB-125s

### Stereo Ear Buds

- Ideal for all portable CD/DVD/Mp3/iPod players
- Light-weight ear bud for extended use
- Soft-touch rubber cord



<b>Type</b>	Dynamic Earbuds
<b>Driver</b>	13.5 mm
<b>Impedance</b>	32 ohms $\pm$ 10%
<b>Magnet</b>	Anisotropic Ferrite
<b>Film</b>	0.012mm
<b>Coil</b>	7.4mm
<b>Sensitivity</b>	100 dB
<b>Channel Balance</b>	< 3 dB
<b>Rated Input</b>	1 mW
<b>Maximum Input</b>	5 mW
<b>Frequency Response</b>	20-23,000 Hz
<b>Plug</b>	3.5mm Straight Plug
<b>Cord Length</b>	4 ft.
<b>Item #:</b>	1905685
<b>Item UPC #:</b>	0-25215-19030-8
<b>Item Pack Size:</b>	0.75" x 3.75" x 6.0"
<b>Item Pack Weight:</b>	0.05 lbs.
<b>Case Carton UPC #:</b>	100-25215-19030-5
<b>Case Pk./Carton Size:</b>	(6) / 12.75" x 5.5" x 3.75"
<b>Carton Cube/Weight:</b>	0.15 / 0.55 lbs.

## EH-130s

### Stereo Ear Hooks

- Ideal for all portable CD/DVD/Mp3/iPod players
- Light-weight ear hook designed for extended use
- Soft-touch rubber hook and cord



EH-130S  
1905655

EH-130B  
1905675

EH-130P  
1905665

<b>Type:</b>	Dynamic Ear Hooks
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Driver:</b>	15mm
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.006mm
<b>Coil:</b>	7.4mm
<b>Sensitivity:</b>	110 dB/mW $\pm$ 3 dB Channel
<b>Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-22,000 Hz
<b>Plug:</b>	3.5 mm Straight Plug
<b>Cord Length:</b>	4 ft.
<b>Item UPC #:</b>	0-25215-36002-2 (Silver) 0-25215-19159-6 (Blue) 0-25215-19158-9 (Pink)
<b>Item Pack Size:</b>	0.75" x 3.75" x 6.0"
<b>Item Pack Weight:</b>	0.08 lbs.
<b>Case Carton UPC #:</b>	100-25215-36002-9 (Silver) 100-25215-19158-6 (Blue) 100-25215-19158-6 (Pink)
<b>Case Pk./Carton Size:</b>	(6) / 12.75" x 4.25" x 5.12"
<b>Carton Cube/Weight:</b>	0.15 / 0.75 lbs.

## EC-150s

### Stereo Ear Clips

- Ideal for all portable CD/DVD/Mp3/iPod players
- Light-weight ear clips designed for extended use
- Soft-touch rubber cord



<b>Type</b>	Dynamic Ear Clips
<b>Driver</b>	30mm
<b>Impedance</b>	32 ohms
<b>Magnet</b>	Anisotropic Ferrite
<b>Film</b>	0.016mm
<b>Coil</b>	13.6mm
<b>Sensitivity</b>	100 dB $\pm$ 3 dB
<b>Channel Balance</b>	< 3 dB
<b>Rated Input</b>	40 mW
<b>Maximum Input</b>	100 mW
<b>Frequency Response</b>	20-22,000 Hz
<b>Plug</b>	3.5 mm Straight Plug
<b>Cord Length</b>	4 ft.
<b>Item #:</b>	1905615
<b>Item UPC #:</b>	0-25215-19144-2
<b>Item Pack Size:</b>	1.125" x 3.75" x 6.0"
<b>Item Pack Weight:</b>	0.10 lbs.
<b>Case Carton UPC #:</b>	100-25215-19144-9
<b>Case Pk./Carton Size:</b>	(6) / 12.75" x 4.25" x 5.12"
<b>Carton Cube/Weight:</b>	0.15 / 0.75 lbs.



# Stereo

## HP-200s

### Stereo Headphones

- Ideal for all portable CD/DVD/Mp3/iPod players
- Dynamic sound reproduction from all sources
- Adjustable locking headband
- Soft-touch rubber cord



<b>Type:</b>	Light-weight Headphone
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Drivers:</b>	30mm
<b>Magnet:</b>	Anisotropic Ferrite
<b>Film:</b>	0.016mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	100 dB $\pm$ 3dB at 1 KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	40 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	20-20,000 Hz
<b>Plug:</b>	3.5mm Straight Plug
<b>Cord Length:</b>	4 Feet
<b>Item #:</b>	1903185
<b>Item UPC #:</b>	0-25215-19031-5
<b>Item Pack Size:</b>	2.125" x 6.25" x 7.5"
<b>Item Pack Weight:</b>	0.20 lbs.
<b>Case Carton UPC #:</b>	100-25215-19031-2
<b>Case Pk./Carton Size:</b>	(6) / 10" x 7" x 8.5"
<b>Carton Cube/Weight:</b>	0.34 / 1.45 lbs.

## NB-201s

### Stereo Neckbands

- Ideal for all portable CD/DVD/Mp3/iPod players
- Lightweight behind the head design
- Soft-touch rubber cord



<b>Type:</b>	Light-weight
<b>Driver:</b>	30 mm
<b>Impedance:</b>	32 ohms
<b>Magnet:</b>	Anisotropic Ferrite
<b>Film:</b>	0.016 mm
<b>Coil:</b>	13.6 mm
<b>Sensitivity:</b>	100 dB $\pm$ 3dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	40 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	20-22,000 Hz
<b>Plug:</b>	3.5 mm Straight Plug
<b>Cord length:</b>	4 ft.
<b>Item #:</b>	1903165
<b>Item UPC #:</b>	0-25215-19125-1
<b>Item Pack Size:</b>	2.125" x 6.25" x 7.5"
<b>Item Pack Weight:</b>	0.20 lbs.
<b>Case Carton UPC #:</b>	100-25215-19125-8
<b>Case Pk./Carton Size:</b>	(6) / 10" x 7" x 8.5"
<b>Carton Cube/Weight:</b>	0.34 / 1.45 lbs.

## HB-202s

### Stereo Head Buds

- Ideal for all portable CD/DVD/Mp3/iPod players
- Soft silicone tips for extended wear and comfort
- Memory headband
- Soft-touch rubber cord



<b>Type</b>	Dynamic Headbuds
<b>Driver</b>	12 mm
<b>Impedance</b>	32 ohms
<b>Magnet</b>	Neodymium
<b>Film</b>	0.007 mm
<b>Coil</b>	5.9 mm
<b>Sensitivity</b>	102 dB
<b>Channel Balance</b>	< 3 dB
<b>Rated Input</b>	1 mW
<b>Maximum Input</b>	5 mW
<b>Frequency Response</b>	20-22,000 Hz
<b>Plug</b>	3.5 mm Straight Plug
<b>Cord length</b>	4 ft.
<b>Item #:</b>	1903175
<b>Item UPC #:</b>	0-25215-19142-8
<b>Item Pack Size:</b>	0.625 x 5" x 7.25"
<b>Item Pack Weight:</b>	0.10 lbs.
<b>Case Carton UPC #:</b>	100-25215-19142-5
<b>Case Pk./Carton Size:</b>	(6) / 10" x 7.75" x 4"
<b>Carton Cube/Weight:</b>	0.18 / 0.85 lbs.

## NB-HB-210s

### Stereo Neckband Head Buds

- Ideal for all portable CD/DVD/Mp3/iPod players
- Soft silicone tips for extended wear and comfort
- Lightweight behind the head design
- Vertical ear entry
- Soft-touch rubber cord



<b>Type</b>	Light-weight Neckband
<b>Driver</b>	12 mm
<b>Impedance</b>	32 ohms
<b>Magnet</b>	Neodymium
<b>Film</b>	0.009 mm
<b>Coil</b>	5.9 mm
<b>Sensitivity</b>	102 dB
<b>Channel Balance</b>	<3 dB
<b>Rated Input</b>	1 mW
<b>Maximum Input</b>	5 mW
<b>Frequency Response</b>	20-22,000 Hz
<b>Plug</b>	3.5 mm Straight Plug
<b>Cord Length</b>	4 ft.
<b>Item #:</b>	1903295
<b>Item UPC #:</b>	0-25215-19126-8
<b>Item Pack Size:</b>	1.75" x 5" x 7.25"
<b>Item Pack Weight:</b>	0.10 lbs.
<b>Case Carton UPC #:</b>	100-25215-19126-5
<b>Case Pk./Carton Size:</b>	(6) / 10" x 7.75" x 4"
<b>Carton Cube/Weight:</b>	0.18 / 1.90 lbs.

# Color Buds

## Color Buds

### Stereo Ear Buds

- Lightweight ear bud design for extended use
- Soft cushion ear covers
- Color matching cords & plugs



**CB-Pink**  
Item # 190540

**CB-Blue**  
Item # 190541

**CB-Orange**  
Item # 190542

**CB-Green**  
Item # 190543

<b>Type:</b>	Dynamic Earbuds
<b>Drivers:</b>	13.5mm
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Magnet:</b>	Anisotropic Ferrite
<b>Film:</b>	0.009mm
<b>Coil:</b>	7.4mm
<b>Sensitivity:</b>	100 dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-23,000 Hz
<b>Straight-Plug:</b>	Nickel Plated 3.5mm
<b>Cord Length:</b>	3 Feet
<b>Item UPC#:</b>	0-25215-19160-2 (Pink) 0-25215-19161-9 (Blue) 0-25215-19162-6 (Orange) 0-25215-19163-3 (Green)
<b>Item Pack Size:</b>	3.25" x 4.5" x 1"
<b>Item Pack Weight:</b>	0.06 lbs.
<b>Case Carton UPC #:</b>	100-25215-19160-9 (Pink) 100-25215-19161-6 (Blue) 100-25215-19162-3 (Orange) 100-25215-19163-0 (Green)
<b>Case Pk./Carton Size:</b>	(6) / 3.5" x 5" x 6.75"
<b>Carton Cube/Weight:</b>	0.068 / 0.40 lbs.

## Color Buds

### Stereo Ear Buds

- Lightweight ear bud design for extended use
- Soft cushion ear covers
- Color matching cords & plugs



**CB-Silver**  
Item # 190544

**CB-Gold**  
Item # 190545

**CB-Purple**  
Item # 190546

**CB-Red**  
Item # 190547

<b>Type:</b>	Dynamic Earbuds
<b>Drivers:</b>	13.5mm
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Magnet:</b>	Anisotropic Ferrite
<b>Film:</b>	0.009mm
<b>Coil:</b>	7.4mm
<b>Sensitivity:</b>	100 dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-23,000 Hz
<b>Straight-Plug:</b>	Nickel Plated 3.5mm
<b>Cord Length:</b>	3 Feet
<b>Item UPC#:</b>	0-25215-19164-0 (Silver) 0-25215-19165-7 (Gold) 0-25215-19166-4 (Purple) 0-25215-19167-1 (Red)
<b>Item Pack Size:</b>	3.25" x 4.5" x 1"
<b>Item Pack Weight:</b>	0.06 lbs.
<b>Case Carton UPC #:</b>	100-25215-19164-7 (Silver) 100-25215-19165-4 (Gold) 100-25215-19166-1 (Purple) 100-25215-19167-8 (Red)
<b>Case Pk./Carton Size:</b>	(6) / 3.5" x 5" x 6.75"
<b>Carton Cube/Weight:</b>	0.068 / 0.40 lbs.





# Stereo Ear Buds



**Model#: MMEB-R**

Item #: 190550

Item UPC #: 0-25215-19230-2



**Model#: MMEB-B**

Item #: 190552

Item UPC #: 0-25215-19232-6



**Model#: MMEB-P**

Item #: 190551

Item UPC #: 0-25215-19231-9



**Model#: MMEB-W**

Item #: 190554

Item UPC #: 0-25215-19234-0



**Model#: MMEB-O**


Item #: 190553

Item UPC #: 0-25215-19233-3

- Lightweight ear bud design for extended use
- Soft cushion ear covers
- Color matching cords & plugs
- Perfect for kids and adults

<b>Drivers:</b>	9.3 mm
<b>Impedance:</b>	16 ohms $\pm$ 10%
<b>Magnet:</b>	Neodymium
<b>Sensitivity:</b>	100 dB @ 1 kHz
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	16-24,000 Hz
<b>Straight-Plug:</b>	Nickel Plated 3.5mm
<b>Cord Length:</b>	4 Feet
<b>Item Pack Size:</b>	3.25" x 5" x 1"
<b>Item Pack Weight:</b>	0.06 lbs.
<b>Case Carton UPC #:</b>	100-25215-19230-9 (Red) 100-25215-19232-3 (Blue) 100-25215-19231-6 (Pink) 100-25215-19234-7 (White) 100-25215-19233-0 (Orange)
<b>Case Pk./Carton Size:</b>	(6) / 3.5" x 5" x 6.75"
<b>Carton Cube/Weight:</b>	0.068 / 0.40 lbs.

®/™ M&M'S, the letter M and the M&M'S Characters are registered trademarks of Mars, Incorporated and its affiliates.



# Fashion Ear Buds

## Jelleez

### Stereo Ear Buds

- Lightweight stereo ear bud, soft comfort fit
- Soft-touch rubber color matching cord and plug
- Ideal for all portable CD/DVD/Mp3/iPod players
- Four assorted colors



**Caribbean Blue**  
Item # 190521

**Chili Pepper**  
Item # 190523

**Black Licorice**  
Item # 190520

**Green Apple**  
Item # 190522

<b>Type:</b>	Dynamic Earbuds
<b>Impedance:</b>	32 ohms $\pm 10\%$
<b>Drivers:</b>	13mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.009mm
<b>Coil:</b>	7.4mm
<b>Sensitivity:</b>	98 dB $\pm 3$ dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-22,000 Hz
<b>L-Plug:</b>	Nickel Plated 3.5mm
<b>Cord Length:</b>	3 Feet
<b>Item UPC#:</b>	0-25215-19131-2 (Blue) 0-25215-19133-6 (Red) 0-25215-19130-5 (Black) 0-25215-19132-9 (Green)
<b>Item Pack Size:</b>	1.75" x 1.0" x 5.0"
<b>Item Pack Weight:</b>	0.05 lbs.
<b>Case Carton UPC #:</b>	100-25215-19131-9 (Blue) 100-25215-19133-3 (Red) 100-25215-19130-2 (Black) 100-25215-19132-6 (Green)
<b>Case Pk./Carton Size:</b>	(8) / 7.75" x 2.25" x 5.5"
<b>Carton Cube/Weight:</b>	0.05 / 0.65 lbs.

## Peanutz

### Digital Ear Buds

- Premium sound quality, compact size and sleek design
- Works with every iPod® Mp3, CD, DVD, Portable device
- Soft silicone double and triple flanged ear tips provide super comfortable, noise filtering fit
- High intensity listening experience with crisp, clear sound and deep bass



**Tan**  
Item # 190535

**Black**  
Item # 190534

**Silver**  
Item # 190533

<b>Type:</b>	Digital Ear Buds
<b>Impedance:</b>	16 ohms $\pm 10\%$
<b>Driver:</b>	9.3 mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.006 mm
<b>Coil:</b>	3.6 mm
<b>Sensitivity:</b>	100 dB / @ 1KHz
<b>Channel Balance:</b>	<3 dB
<b>Rated Input:</b>	1.5 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	16-24,000 Hz
<b>Plug:</b>	Silver Plated 3.5 mm
<b>Cord Length:</b>	4 feet
<b>Item UPC#:</b>	0-25215-19137-4 (Tan) 0-25215-19154-1 (Black) 0-25215-19153-4 (Silver)
<b>Weight:</b>	0.06 lbs.
<b>Item Pack Size:</b>	0.875 x 1.75 x 5.0
<b>Item Pack Weight:</b>	0.05 lbs.
<b>Case Carton UPC #:</b>	100-25215-19137-1 (Tan) 100-25215-19154-8 (Black) 100-25215-19153-1 (Silver)
<b>Case Pk./Carton Size:</b>	(8) / 7.75" x 2.25" x 5.5"
<b>Carton Cube/Weight:</b>	0.05 / 0.65 lbs.



# KidsSafe™ Headphones & Ear Clips

Volume Level  
Protection



Lightweight  
& Comfort Fit



Interchangeable  
Color Caps



Small Size  
4 Kids



## EAR CLIPS: MODEL # KHP-1

<b>Type</b>	Open Air, Dynamic
<b>Driver</b>	30mm
<b>Impedance</b>	32 ohms
<b>Magnet</b>	Neodymium
<b>Sensitivity</b>	90dB
<b>Frequency Response</b>	14Hz- 20kHz
<b>Item #:</b>	190339
<b>Item UPC #:</b>	0-25215-19229-6
<b>Item Pack Size:</b>	1.125" x 3.75" x 8.125"
<b>Item Pack Weight:</b>	0.15 lbs.
<b>Case Carton UPC #:</b>	100-25215-19229-3
<b>Case Pk./Carton Size:</b>	(6) / 10.0" x 7.0" x 5.25"
<b>Carton Cube/Weight:</b>	0.21 / 1.15 lbs.

## HEADPHONES: MODEL # KHP-2

<b>Type</b>	Open Air, Dynamic
<b>Driver</b>	30mm
<b>Impedance</b>	32 ohms
<b>Magnet</b>	Neodymium
<b>Sensitivity</b>	90dB
<b>Frequency Response</b>	14Hz- 20kHz
<b>Item #:</b>	190338
<b>Item UPC #:</b>	0-25215-19228-9
<b>Item Pack Size:</b>	2.0" x 6.75" x 8.125"
<b>Item Pack Weight:</b>	0.20 lbs
<b>Case Carton UPC #:</b>	100-25215-19228-6
<b>Case Pk./Carton Size:</b>	(6) / 10.0" x 7.0" x 8.5"
<b>Carton Cube/Weight:</b>	0.34 / 1.45 lbs.



# Digital

## EB-425

### Digital Ear Buds

- Ideal for all digital sources and home applications
- In-line volume control
- Travel pouch
- (2) sets of varied size silicone ear tips for extended wear and comfort
- Soft-touch rubber cord
- Gold-plated 3.5mm L-plug



<b>Type:</b>	Dynamic Earbuds
<b>Impedance:</b>	16 ohms $\pm$ 10%
<b>Drivers:</b>	10mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.006mm
<b>Coil:</b>	4.8mm
<b>Sensitivity:</b>	102 dB $\pm$ 3 dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	16-24,000 Hz
<b>L-Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	3 Feet
<b>Item #:</b>	190538
<b>Item UPC #:</b>	0-25215-19053-7
<b>Item Pack Size:</b>	1.0" x 3.75" x 6.0"
<b>Item Pack Weight:</b>	0.08 lbs.
<b>Case Carton UPC #:</b>	100-25215-19053-4
<b>Case Pk./Carton Size:</b>	(6) / 9.75" x 3.50" x 4.0"
<b>Carton Cube/Weight:</b>	0.07 / 2.52 lbs.

## HB-375

### Digital Head Buds

- Ideal for all digital sources and home applications
- In-line volume control
- Soft silicone tips for extended wear and comfort
- Vertical ear entry
- Soft-touch rubber cord
- Gold-plated 3.5mm L-plug



<b>Type:</b>	Light-weight Head Buds
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Drivers:</b>	12mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.009mm
<b>Coil:</b>	5.9mm
<b>Sensitivity:</b>	102 dB $\pm$ 3 dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	16-24,000 Hz
<b>L-Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	4 Feet
<b>Item #:</b>	190507
<b>Item UPC #:</b>	0-25215-19057-5
<b>Item Pack Size:</b>	1.0" x 3.75" x 6.0"
<b>Item Pack Weight:</b>	0.08 lbs.
<b>Case Carton UPC #:</b>	100-25215-19057-2
<b>Case Pk./Carton Size:</b>	(6) / 10.50" x 5.0" x 4.0"
<b>Carton Cube/Weight:</b>	0.12 / 1.52 lbs.

## EC-450

### Digital Ear Clips

- Ideal for all digital sources and home applications
- Lightweight ear clips designed for extended use
- Travel pouch with drawstring
- In-line volume control
- Soft-touch rubber cord
- Gold-plated 3.5mm L-plug



<b>Type:</b>	Dynamic Ear Clips
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Drivers:</b>	30mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.012mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	102 dB $\pm$ 3 dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	40 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	16-24,000 Hz
<b>L-Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	3 Feet
<b>Item #:</b>	190412
<b>Item UPC #:</b>	0-25215-19119-0
<b>Item Pack Size:</b>	1.12" x 5.0" x 7.25"
<b>Item Pack Weight:</b>	0.18 lbs.
<b>Case Carton UPC #:</b>	100-25215-19119-7
<b>Case Pk./Carton Size:</b>	(6) / 12.50" x 4.50" x 5.25"
<b>Carton Cube/Weight:</b>	0.17 / 3.08 lbs.



# Digital

## HB-350F

### Digital Head Buds

- Ideal for all digital sources and home applications
- **Foldable**
- In-line volume control
- Soft silicone tips for extended wear and comfort
- Vertical ear entry
- Soft-touch rubber cord
- Gold-plated 3.5mm L-plug



<b>Type:</b>	Light-weight Head Buds
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Drivers:</b>	12mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.009mm
<b>Coil:</b>	5.9mm
<b>Sensitivity:</b>	102 dB $\pm$ 3 dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	16-24,000 Hz
<b>L-Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	4 Feet
<b>Item #:</b>	190508
<b>Item UPC #:</b>	0-25215-19050-6
<b>Item Pack Size:</b>	1.25" x 6.50" x 9.0"
<b>Item Pack Weight:</b>	0.16 lbs.
<b>Case Carton UPC #:</b>	100-25215-19050-3
<b>Case Pk./Carton Size:</b>	(6) / 12.0" x 4.50" x 6.75"
<b>Carton Cube/Weight:</b>	0.21 / 2.0 lbs.

## HP-700F

### Digital Headphones

- Ideal for all digital sources and home applications
- **Foldable**
- In-line volume control
- Adjustable-locking headband
- Soft-touch rubber cord
- Gold-plated 3.5mm L-plug



<b>Type:</b>	Light-weight Headphone
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Drivers:</b>	30mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.012mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	102 dB $\pm$ 3 dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	40 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	16-24,000 Hz
<b>L-Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	4 Feet
<b>Item #:</b>	190439
<b>Item UPC #:</b>	0-25215-19040-7
<b>Item Pack Size:</b>	2.0" x 6.50" x 9.0"
<b>Item Pack Weight:</b>	0.24 lbs.
<b>Case Carton UPC #:</b>	100-25215-19040-4
<b>Case Pk./Carton Size:</b>	(6) / 12.25" x 9.25" x 6.75"
<b>Carton Cube/Weight:</b>	0.44 / 2.45 lbs.

## HP-550F

### Deluxe Digital Headphones

- Provides excellent sound performance from high-quality music sources
- **Foldable**
- Gold-plated 3.5mm L-plug
- Gold-plated 1/4" adapter
- In-line volume control with mono/stereo switch
- Adjustable-locking headband with swivel ear cups
- Soft-touch rubber cord



<b>Type:</b>	Closed Ear Headphone
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Drivers:</b>	40mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.025mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	102 dB $\pm$ 3 dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	40 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	10-28,000 Hz
<b>L-Plug:</b>	Gold Plated 3.5mm Stereo
<b>Cord Length:</b>	5 Feet
<b>Item #:</b>	190562
<b>Item UPC #:</b>	0-25215-19145-9
<b>Item Pack Size:</b>	3.75" x 6.50" x 9.0"
<b>Item Pack Weight:</b>	0.50 lbs.
<b>Case Carton UPC #:</b>	100-25215-19145-6
<b>Case Pk./Carton Size:</b>	(6) / 15.75" x 11.75" x 6.75"
<b>Carton Cube/Weight:</b>	0.72 / 4.0 lbs.


# Action Sports



## AS-1

### Earbuds with Pouch

- Water resistant
- Durable designs
- Noise Suppression Technology to provide clear, crisp sound.
- Designed with fitness in mind



Type:	Ear Bud
Driver:	9.3mm
Impedance:	16 ohms
Magnet:	Neodymium
Sensitivity:	100dB
Frequency Response:	14-24,000Hz
Plug:	3.5mm straight plug
Cord Length:	4 feet
Item #:	190441
Item UPC #:	0-25215-19520-4
Item Pack Size:	4.375" x 6.5" x 1.25"
Item Pack Weight:	0.07 lbs.
Case Carton UPC #:	100-25215-19520-1
Case Pk./Carton Size:	(6) / 10.5" x 4.25" x 4.875"
Carton Cube/Weight:	0.125 / 0.64 lbs.

## AS-2

### Earbuds with Retractable Carabiner Case

- Water resistant
- Retractable carabiner case to keep cord from tangling.
- Uses Noise Suppression Technology to provide clear, crisp sound.
- Designed with fitness in mind.
- No winding necessary



Type:	Ear Buds w/ Carabiner Case
Driver:	12mm
Impedance:	16 ohms
Magnet:	Neodymium
Sensitivity:	104dB
Frequency Response:	16-22,000Hz
Plug:	3.5mm straight plug
Cord Length:	4 feet
Item #:	190442
Item UPC #:	0-25215-19521-1
Item Pack Size:	4.375" x 6.5" x 1.25"
Item Pack Weight:	0.15 lbs.
Case Carton UPC #:	100-25215-19521-8
Case Pk./Carton Size:	(6) / 10.5" x 4.25" x 4.875"
Carton Cube/Weight:	0.125 / 1.04 lbs.



## AS-3

### Earhooks with Pouch

- Slimline earhook design.
- Noise Suppression Technology to provide clear, crisp sound
- Water resistant
- Designed with fitness in mind



Type:	Earhook
Driver:	13.6mm
Impedance:	16 ohms
Magnet:	Neodymium
Sensitivity:	104dB
Frequency Response:	17-22,000Hz
Plug:	3.5mm straight plug
Cord Length:	4 feet
Item #:	190443
Item UPC #:	0-25215-19522-8
Item Pack Size:	4.375" x 6.5" x 1.25"
Item Pack Weight:	0.08 lbs.
Case Carton UPC #:	100-25215-19522-5
Case Pk./Carton Size:	(6) / 10.5" x 4.25" x 4.875"
Carton Cube/Weight:	0.125 / 1.72 lbs.

## AS-4

### Headbuds with Pouch

- Lightweight behind the head design
- Flexible and durable neckband.
- Right side cord exit that won't get in the way.
- Designed with fitness in mind.



Type:	Headbuds
Driver:	13.6mm
Impedance:	16 ohms
Magnet:	Neodymium
Sensitivity:	104dB
Frequency Response:	17-22,000Hz
Plug:	3.5mm straight plug
Cord Length:	4 feet
Item #:	190444
Item UPC #:	0-25215-19523-5
Item Pack Size:	6.625" x 8.375" x 1.25"
Item Pack Weight:	0.15 lbs.
Case Carton UPC #:	100-25215-19523-2
Case Pk./Carton Size:	(6) / 14.25" x 4.25" x 7.125"
Carton Cube/Weight:	0.250 / 1.71 lbs.

## AS-5

### Neckband with Pouch

- Lightweight behind the head design.
- Soft silicone ear tips for comfort and stability.
- Right side cord exit that won't get in the way.
- Designed with fitness in mind



Type:	Neckband
Driver:	30mm
Impedance:	24 ohms
Magnet:	Neodymium
Sensitivity:	106dB
Frequency Response:	14-23,000Hz
Plug:	3.5mm straight plug
Cord Length:	4 feet
Item #:	190445
Item UPC #:	0-25215-19524-2
Item Pack Size:	6.625" x 8.375" x 1.25"
Item Pack Weight:	0.20 lbs.
Case Carton UPC #:	100-25215-19524-9
Case Pk./Carton Size:	(6) / 14.25" x 4.25" x 7.125"
Carton Cube/Weight:	0.250 / 2.91 lbs.

## DHP-II

### Digital Headphone Technology Full Size Headphones

- Delivers Rich Musical Nuances
- Compatible with Portable or Home Entertainment Systems
- Lightweight, Comfortable Ergonomic Design
- Exceptional at High, Low and Mid Range Frequencies
- Deluxe Drawstring Travel Pouch
- 6' Extension Cable



<b>Type:</b>	Dynamic Closed Ear
<b>Impedance:</b>	50 ohms $\pm 10\%$
<b>Drivers:</b>	40mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.025mm
<b>Coil:</b>	20.4mm
<b>Sensitivity:</b>	102 dB $\pm 3$ dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	100 mW
<b>Maximum Input:</b>	200 mW
<b>Frequency Response:</b>	10-30,000 Hz
<b>Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	6 feet
<b>Item #:</b>	190405
<b>Item UPC #:</b>	0-25215-36005-3
<b>Item Pack Size:</b>	8.0" x 8.75" x 3.5"
<b>Item Pack Weight:</b>	1 lb.
<b>Case Carton UPC #:</b>	100-25215-36005-0
<b>Case Pk./Carton Size:</b>	(4) / 14" x 9.5" x 8.25"
<b>Carton Cube/Weight:</b>	0.63 / 4.75 lbs.

## DHP-III

### Digital Headphone Technology Full Size Headphones

- Compatible with portable or home entertainment systems
- Lightweight, comfortable and ergonomic design
- Exceptional high, low and mid range frequencies
- Includes deluxe drawstring pouch and 1/4" stereo adapter



<b>Type:</b>	Dynamic, Open Air
<b>Driver:</b>	40 mm
<b>Impedance:</b>	50 ohms $\pm 10\%$
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.020 mm
<b>Coil:</b>	20.4 mm
<b>Sensitivity:</b>	97 dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	80 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	10-25,000 Hz
<b>Plug:</b>	Nickel Plated 3.5 mm
<b>Adapter:</b>	1/4"
<b>Cord Length:</b>	4 feet
<b>Item #:</b>	190406
<b>Item UPC #:</b>	0-25215-36006-0
<b>Item Pack Size:</b>	7.3" x 5.8" x 2.9"
<b>Item Pack Weight:</b>	0.60 lbs.
<b>Case Carton UPC #:</b>	100-25215-36006-7
<b>Case Pk./Carton Size:</b>	(4) / 11" x 8" x 6.5"
<b>Carton Cube/Weight:</b>	0.33 / 3.00 lbs.

## UT/NB-2025F

### Ultra-Thin Neckband Headphones

- Unique ultra-thin, full-ear cup design provides comfort while delivering excellent sound performance from high-quality music sources
- Adjustable-locking neckband with swivel ear cups
- In-line volume control with mono/stereo switch
- **Foldable** ■ Gold-plated 3.5 mm L-plug
- Nickel-plated 1/4" adapter
- Travel pouch with drawstring
- Soft-touch rubber cord



<b>Type:</b>	Dynamic Open Air
<b>Impedance:</b>	32 ohms $\pm 10\%$
<b>Drivers:</b>	40mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.019mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	105 dB $\pm 3$ dB at 1KHz
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	40 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	10-28,000 Hz
<b>L-Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	4 Feet
<b>Item #:</b>	190413
<b>Item UPC #:</b>	0-25215-28600-1
<b>Item Pack Size:</b>	2.25" x 6.50" x 8.75"
<b>Item Pack Weight:</b>	0.28 lbs.
<b>Case Carton UPC #:</b>	100-25215-28600-8
<b>Case Pk./Carton Size:</b>	(6) / 13.75" x 8.0" x 6.75"
<b>Carton Cube/Weight:</b>	0.429 / 2.76 lbs.



## P-8

### Digital Ear Buds

- Compatible with Shuffle, nano, mini, 1G, 2G, 3G, 4G, photo, 5G video and any player with a 3.5mm headphone jack
- Dyna-Drive: dynamic drivers deliver enhanced sound performance
- Flexible silicone body provides ultimate comfort
- Includes in-line, slide volume control
- Additional varied size ear caps provided
- Includes drawstring travel pouch



<b>Type:</b>	Dynamic Earbuds
<b>Impedance:</b>	16 ohms at 1 kHz
<b>Drivers:</b>	9mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.006mm
<b>Coil:</b>	4.2mm
<b>Sensitivity:</b>	100 dB/mW
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	2 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-20,000 Hz
<b>Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	3.5 feet (Oxygen Free Cord)
<b>Item #:</b>	191208
<b>Item UPC #:</b>	0-25215-34027-7
<b>Item Pack Size:</b>	1.50" x 5.13" x 8.25"
<b>Item Pack Weight:</b>	0.15 lbs.
<b>Case Carton UPC #:</b>	100-25215-34027-4
<b>Case Pk./Carton Size:</b>	(6) / 9.50" x 5.63" x 8.75"
<b>Carton Cube/Weight:</b>	0.27 / 1.70 lbs.

## P-8B

### Digital Ear Buds

- Compatible with Shuffle, nano, mini, 1G, 2G, 3G, 4G, photo, 5G video and any player with a 3.5mm headphone jack
- Dyna-Drive: dynamic drivers deliver enhanced sound performance
- Flexible silicone body provides ultimate comfort
- Includes in-line, slide volume control
- Additional varied size ear caps provided
- Includes drawstring travel pouch



<b>Type:</b>	Dynamic Earbuds
<b>Impedance:</b>	16 ohms at 1 kHz
<b>Drivers:</b>	9mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.006mm
<b>Coil:</b>	4.2mm
<b>Sensitivity:</b>	100 dB/mW
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	2 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-20,000 Hz
<b>Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	3.5 feet (Oxygen Free Cord)
<b>Item #:</b>	291208
<b>Item UPC #:</b>	0-25215-35068-9
<b>Item Pack Size:</b>	1.50" x 5.13" x 8.25"
<b>Item Pack Weight:</b>	0.15 lbs.
<b>Case Carton UPC #:</b>	100-25215-35068-6
<b>Case Pk./Carton Size:</b>	(6) / 9.50" x 5.63" x 8.75"
<b>Carton Cube/Weight:</b>	0.27 / 1.70 lbs.

## P-NS

### Neck Strap Ear Buds

- Compatible with Shuffle, nano, mini, 1G, 2G, 3G, 4G, photo, 5G video and any player with a 3.5mm headphone jack
- Totally redesigned ear bud
- Break away neckstrap
- Lanyard assembly for easy access to your portable players



<b>Type:</b>	Dynamic Earbuds
<b>Impedance:</b>	16 ohms at 1 kHz
<b>Drivers:</b>	16mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.006mm
<b>Coil:</b>	7.4mm
<b>Sensitivity:</b>	110 dB/mW
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-20,000 Hz
<b>Plug:</b>	Gold Plated 3.5mm
<b>Cord Length:</b>	3.5 feet (Oxygen Free Cord)
<b>Item #:</b>	191350
<b>Item UPC #:</b>	0-25215-35067-2
<b>Item Pack Size:</b>	1.50" x 5.13" x 8.25"
<b>Item Pack Weight:</b>	0.15 lbs.
<b>Case Carton UPC #:</b>	100-25215-35067-9
<b>Case Pk./Carton Size:</b>	(6) / 9.50" x 5.63" x 8.75"
<b>Carton Cube/Weight:</b>	0.27 / 1.70 lbs.

# Noise Cancellation

## NR-EB-1

### Noise Reduction Earbud

- Reduces over amplification, distortion and non-linear distortion for truer sound
- Improves frequency response by reducing variability
- Great for commuters and frequent flyers
- Includes a travel pouch, airline adapter and second set of ear tips



<b>Type</b>	Dynamic, Earbuds
<b>Impedance</b>	16 ohms (at 1K Hz)
<b>Drivers</b>	13.6mm
<b>Magnet</b>	Neodymium
<b>Film</b>	0.006mm
<b>Coil</b>	5.9mm
<b>Sensitivity</b>	105dB
<b>Channel Balance</b>	<3 dB
<b>Rated Input</b>	5mW
<b>Maximum Input</b>	10mW
<b>Frequency Response</b>	20Hz-20KHz
<b>Plug</b>	Nickel Plated 3.5mm Straight-Plug
<b>Cord Length</b>	5.9 feet
<b>Item #</b>	190404
<b>Item UPC #</b>	0-25215-36007-7
<b>Item Pack Size:</b>	8" x 4.50" x 1"
<b>Item Pack Weight:</b>	0.25 lbs
<b>Case Carton UPC #:</b>	100-25215-36007-4
<b>Case Pk./Carton Size:</b>	(6) / 6.25" x 9.00" x 5.375"
<b>Carton Cube/Weight:</b>	0.17 / 2.10 lbs.

## NC II

### Noise Cancellation Headphone

- Maxell's noise cancellation technology is incorporated into our HP/NC-II headphones for automatic noise reduction
- Improves frequency response
- Digital-ready stereo headphones
- Comfortable, lightweight and easy to adjust
- Collapsible and compact for portability and easy storage
- Over 50 hours of battery power with 2AAA batteries (not included)
- Dual prong adapter for portable and in-flight entertainment systems
- Includes a drawstring travel pouch for easy storage



<b>Type:</b>	Closed Ear
<b>Impedance:</b>	32 ohms $\pm 10\%$
<b>Drivers:</b>	40mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.016mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	106 $\pm 3$ dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	80 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	20-22,000 Hz
<b>Plug:</b>	Nickel Plated 3.5mm
<b>Cord Length:</b>	6 feet
<b>Item #:</b>	190400
<b>Item UPC #:</b>	0-25215-19042-1
<b>Item Pack Size:</b>	3.0" x 6.25" x 10.25"
<b>Item Pack Weight:</b>	0.53 lbs.
<b>Case Carton UPC #:</b>	100-25215-19042-8
<b>Case Pk./Carton Size:</b>	(6) / 6.75" x 16.50" x 10.0"
<b>Carton Cube/Weight:</b>	0.64 / 3.11 lbs.

## NC III

### Noise Cancellation Headphone

- Maxell's noise cancellation technology is incorporated into our HP/NC-III headphones for automatic noise reduction
- Improves frequency response
- Digital-ready stereo headphones
- Comfortable, lightweight and easy to adjust
- Collapsible and compact for portability and easy storage
- Over 50 hours of battery power with 2AAA batteries (not included)
- Dual prong adapter for portable and in-flight entertainment systems
- Includes a drawstring travel pouch for easy storage



<b>Type:</b>	Lightweight
<b>Impedance:</b>	32 ohms $\pm 10\%$
<b>Drivers:</b>	40mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.016mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	106 $\pm 3$ dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	80 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	20-22,000 Hz
<b>Plug:</b>	Silver Plated 3.5mm Stereo
<b>Cord Length:</b>	6 feet
<b>Item #:</b>	190402
<b>Item UPC #:</b>	0-25215-19116-9
<b>Item Pack Size:</b>	9.50" x 6.50" x 2.63"
<b>Item Pack Weight:</b>	0.49 lbs.
<b>Case Carton UPC #:</b>	100-25215-19116-6
<b>Case Pk./Carton Size:</b>	(6) / 7.13" x 13.00" x 8.00"
<b>Carton Cube/Weight:</b>	0.43 / 3.48 lbs.

## NC IV

### Superior Noise Cancellation Headphones Featuring DHP

- Superior Noise Cancellation Headphones with Enhanced Sound Quality
- Over 50 hours of battery power with 2AAA batteries (not included)
- Will work as standard headphones without batteries
- Ideal for home and travel especially on airplanes
- Swivel and folds flat ear cups
- Comfortable, lightweight and easy to adjust for extended usage
- Detachable single entry cord for tangle free usage
- Travel case included



<b>Type:</b>	Closed Ear
<b>Impedance:</b>	38 ohms $\pm 15\%$
<b>Drivers:</b>	34mm
<b>Magnet:</b>	Neodymium
<b>Film:</b>	0.030mm
<b>Coil:</b>	13.45mm
<b>Sensitivity:</b>	106 dB $\pm 3$ dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	100 mW
<b>Maximum Input:</b>	200 mW
<b>Frequency Response:</b>	10-22,000 Hz
<b>Plug:</b>	Gold Plated 3.5mm Stereo
<b>Cord Length:</b>	3 feet
<b>Item #:</b>	190403
<b>Item UPC #:</b>	0-25215-36004-6
<b>Item Pack Size:</b>	8.25" x 9.5" x 3.0"
<b>Item Pack Weight:</b>	1.25 lbs.
<b>Case Carton UPC #:</b>	100-25215-36004-3
<b>Case Pk./Carton Size:</b>	(4) / 12.5" x 9.75" x 8.5"
<b>Carton Cube/Weight:</b>	0.60 / 5.25 lbs.



# Budget Headphones

## EB-95

### Earbuds

- Ideal for MP3, CD players and all portable stereo devices.
- Lightweight ear buds design for extended use
- Dynamic sound reproduction from all sources



<b>Type:</b>	Dynamic Earbuds
<b>Impedance:</b>	32 ohms $\pm$ 10%
<b>Magnet:</b>	Anisotropic Ferrite
<b>Film:</b>	0.009mm
<b>Coil:</b>	7.3mm
<b>Sensitivity:</b>	95 dB $\pm$ 3dB
<b>Channel Balance:</b>	< 3 dB
<b>Rated Input:</b>	1 mW
<b>Maximum Input:</b>	5 mW
<b>Frequency Response:</b>	20-23,000 Hz
<b>Plug:</b>	Silver Plated 3.5mm L-plug
<b>Item #</b>	190560
<b>Item UPC #</b>	0-25215-19024-7
<b>Item Pack Size:</b>	0.5" x 3.5" x 7.25"
<b>Item Pack Weight:</b>	0.05 lbs
<b>Case Carton UPC #:</b>	100-25215-19024-4
<b>Case Pk./Carton Size:</b>	(6) / 7.5" x 10.0625" x 4"
<b>Carton Cube/Weight:</b>	0.17 / .40 lbs.

## HP-100

### Headphone

- Lightweight, open-air type headphones
- Ideal for MP3, CD players and all portable stereo devices
- Dynamic sounds reproduction from all sources
- Slide headband for comfort.



<b>Type:</b>	Dynamic, Open Air
<b>Impedance:</b>	32 ohms
<b>Magnet:</b>	Anisotropic Ferrite
<b>Film:</b>	0.016mm
<b>Coil:</b>	13.6mm
<b>Sensitivity:</b>	90 dB $\pm$ 3 dB
<b>Channel Balance:</b>	$\pm$ 3 dB
<b>Rated Input:</b>	40 mW
<b>Maximum Input:</b>	100 mW
<b>Frequency Response:</b>	20-20,000 Hz
<b>Plug:</b>	Silver Plated 3.5mm L-plug
<b>Item #:</b>	190319
<b>Item UPC #:</b>	0-25215-19058-2
<b>Item Pack Size:</b>	0.5" x 6.75" x 8.5"
<b>Item Pack Weight:</b>	0.15 lbs.
<b>Case Carton UPC #:</b>	100-25215-19058-9
<b>Case Pk./Carton Size:</b>	(6) / 8.5" x 10.0" x 7.0"
<b>Carton Cube/Weight:</b>	0.34 / 1.10 lbs.

# Accessories

## HP-20

### Extension Cord with (4) Adapters

- Dual-prong airline adapter
- 1/4" Stereo adapter
- Dual headphone adapter
- Mono adapter
- 20' Headphone extension cord



<b>Item #:</b>	190399
<b>Item UPC #:</b>	0-25215-19039-1
<b>Item Pack Size:</b>	1.0" x 5.25" x 7.50"
<b>Item Pack Weight:</b>	0.30 lbs.
<b>Case Carton UPC #:</b>	100-25215-19039-8
<b>Case Pk./Carton Size:</b>	(6) / 11.5" x 4.25" x 6.0"
<b>Carton Cube/Weight:</b>	0.169 / 2.18 lbs.

## HP-21

### Headphone Adapter Kit

- Extends length of full size stereo or lightweight portable headphone cords up to 20 feet
- Connects full size stereo headphones to home stereo equipment
- Connects cell phones, iphones, and PDA's to headphones or earpieces
- Dual prong airline adapter connects headphones to in-flight entertainment systems.
- Connects two sets of lightweight portable stereo headphones to one jack.



<b>Item #:</b>	190398
<b>Item UPC #:</b>	0-25215-19214-2
<b>Item Pack Size:</b>	1.375" x 5" x 7.25"
<b>Item Pack Weight:</b>	0.35 lbs.
<b>Case Carton UPC #:</b>	100-25215-19214-9
<b>Case Pk./Carton Size:</b>	(6) / 8.75" x 5" x 7.5"
<b>Carton Cube/Weight:</b>	0.19 / 2.2 lbs.

## HP-22

### Cellphone-Headphone Adapter

- Use your favorite headphones with your cell phone
- Built-in one-touch microphone included for hands-free talking
- Pause music and answer calls with one touch
- Collar clip included for comfort

**iPhone®**  
compatible



iPhone is a registered trademark of Apple Computer, Inc.

<b>Item #:</b>	190397
<b>Item UPC #:</b>	0-25215-19223-4
<b>Item Pack Size:</b>	0.75" x 3.25" x 5.75"
<b>Item Pack Weight:</b>	0.05 lbs.
<b>Case Carton UPC #:</b>	100-25215-19223-1
<b>Case Pk./Carton Size:</b>	(6) / 6.5" x 3.75" x 6.5"
<b>Carton Cube/Weight:</b>	0.09 / 0.4 lbs.



<b>MAXELL CORPORATION OF AMERICA</b>	22-08 Route 208, Fair Lawn, NJ 07410
<b>MAXELL CANADA</b>	50 Locke Street, Unit #2, Concord, ON Canada L4K 5R4
<b>MAXELL EUROPE LIMITED</b>	European Headquarters - Multimedia House, High Street, Rickmansworth, Hertfordshire, WD3 1HR United Kingdom
<b>MAXELL LATIN AMERICA</b>	Plaza Btesh - Calle 50, Panama City, Panama

[www.maxell.com](http://www.maxell.com)